



# RS3 S Modulo

The most advanced security  
in less than 60 seconds



# RS3 S Modulo

## Quick and simple

### CISA MOST ADVANCED SECURITY CYLINDER ASSEMBLED IN LESS THAN A MINUTE

Whatever the door thickness and the lock position, RS3 S Modulo will guarantee quick installation thanks to its modular design and preassembled extensions.



#### TECHNICAL FEATURES

##### CYLINDER

- Radial key biting system, up to 19 pins and 5 rows.
- Brass cylinder body with patented bi-material snap resistant core.
- Cam: DIN self-lubricating sintered steel cam.
- Hardened steel pins and drivers.
- Clutch-type cam for emergency operation.

##### KEY

- Patented key: protected against illegal production.
- Higher resistance against key cloning thanks to newly shaped mobile element.
- Security Card: for authorized key duplication only. Keys can be exclusively duplicated by CISA upon presentation of the Security Card.
- Up to 8 billion possible combinations, i.e. different keys.
- Compatible with protective rose.

##### MODULE FINISHES

- Standard: sandblasted nickel-plated brass (fin. 12).
- On request: polished brass (fin. 66).

##### EXTENSIONS FINISHES

- Galvanized sanded finish.



# RS3 S Modulo

## Quick, solid and secure

### ON SITE INSTALLATION

RS3 S Modulo is ready to be installed on site, without any need for preliminary site inspections, cutting installation times and costs.



### INSTALLATION IN LESS THAN A MINUTE

RS3 S Modulo is ready for use: with its special pre-bitted key, factory tested module system complete with key bunch and Security Card, and pre-assembled extensions, RS3 S Modulo can be assembled in less than 60 seconds.

RS3 S Modulo is the ideal product for high-security applications in residential buildings and for the armored door industry.



### CYLINDER SECURITY

RS3 S Modulo offers consistent breaking and extraction resistance thanks to the Snap Resistant core ensuring high anti-burglary security: +40% more resistant than standard cylinders.

RS3 S Modulo offers the same performance in terms of resistance to external attack as RS3 S, thanks to a patented bi-material steel snap resistant core, also visible when the cylinder is installed in the door.



### DISTINCTIVE FEATURES

- High "bumping" resistance: impossibility to obtain key blanks, existing bitted key hard to turn into "power keys", high number of compact-sized pins arranged radially.
- High resistance to wax- or other impression-based burglary techniques thanks to the high number of compact-sized pins arranged radially.
- High resistance to drilling thanks to the hardened steel key biting system.

### PATENTS

- Key: valid until 2025
- Europe EP1728944
  - Russia RU2008150925
  - Ukraine UA200814736
- Snap resistant cylinder:
- Europe EP1583878
  - Russia RU2361989
- Extensions: registered patent.

# RS3 S Modulo

*Your business-boosting solution  
with limited stock impact*



## **BOOST YOUR BUSINESS, OPTIMIZE YOUR STOCK**

RS3 S Modulo, thanks to its special configuration, will help you maximize your business opportunities without any extra stock investment, reducing the risk of slow-moving stock-on-hand and improving customer service.

Streamlined stock management is achieved thanks to the limited number of module configurations (3) and components (one type of extensions and clutch).

Additionally, the non-standard modular configurations (KA, CE and CA) allow a quick, complete service to be supplied even when special cylinders are requested - which would normally require longer lead times.

**Business will be easier than ever with RS3 S Modulo: low investment, great customer service!**















## **RS3 S MODULO INSTALLATION KIT**

CISA supplies a service case containing the cylinder components in the most popular sizes as well as the tools necessary to carry out on-site cylinder assembly and installation.

The case is also designed to be completed with additional components in all the catalog sizes.



Type	Description	Commercial dimensions		L	 Pieces	ITEM				
		A	B			Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> <li>• Pair of modules for double cylinder with clutch</li> </ul>	30	30		1	1	0L3M1	07 0	12	CL
	<ul style="list-style-type: none"> <li>• Pair of modules for cylinders with thumb turn shaft</li> </ul>	30	30		1	1	0L3M2	07 0	12	CL
	<ul style="list-style-type: none"> <li>• Pair of modules for cylinders with adjustable thumb turn shaft</li> </ul>	30	30		1	1	0L3M7	07 0	12	CL
	<ul style="list-style-type: none"> <li>• Extensions for double cylinder and thumbturn</li> </ul>			5	20	1	07580	21 0		
				10	20	1	07580	22 0		
				20	10	1	07580	23 0		
				30	10	1	07580	24 0		
	<ul style="list-style-type: none"> <li>• Fixing screw for extensions</li> </ul>			10	100	1	07580	11 0		
				20	100	1	07580	12 0		
				30	100	1	07580	13 0		
				40	50	1	07580	14 0		
				50	50	1	07580	15 0		
	<ul style="list-style-type: none"> <li>• Clutch for RS3 S Modulo</li> </ul>					50	1	07580	50 0	

Type	Description	Commercial dimensions		L	 Pieces	ITEM				
		A	B			Type	Dim.	Hand	Fin.	Peris.
	• Coupling unit for double cylinder with clutch	30/30		25	1	07580 51 0				
		30/35		25	1	07580 52 0				
		35/35		25	1	07580 53 0				
	• Coupling unit for cylinder with thumb turn shaft	30/30		50	1	07580 61 0				
		35/30		50	1	07580 62 0				
		• Preassembled snap resistant core	30/30		10	1	07581 01 0 0			
30/35				10	1	07581 02 0 0				
30/40				10	1	07581 03 0 0				
30/45				10	1	07581 04 0 0				
30/50				10	1	07581 05 0 0				
30/55				10	1	07581 06 0 0				
30/60				5	1	07581 07 0 0				
30/70				5	1	07581 08 0 0				
30/80				2	1	07581 09 0 0				
35/35				10	1	07581 10 0 0				
35/40				10	1	07581 11 0 0				
35/45				10	1	07581 12 0 0				
35/50				10	1	07581 13 0 0				
35/55				5	1	07581 14 0 0				
35/60				5	1	07581 15 0 0				
35/65				5	1	07581 16 0 0				
40/40				10	1	07581 20 0 0				
40/45				10	1	07581 21 0 0				
40/50				5	1	07581 22 0 0				
40/55				5	1	07581 23 0 0				
40/60				5	1	07581 24 0 0				
40/70				2	1	07581 25 0 0				
40/80				2	1	07581 26 0 0				
45/45				5	1	07581 30 0 0				
45/50				5	1	07581 31 0 0				
45/55				5	1	07581 32 0 0				
50/50				5	1	07581 40 0 0				
50/55				2	1	07581 41 0 0				
50/60				2	1	07581 42 0 0				
50/80				2	1	07581 43 0 0				
55/55				2	1	07581 50 0 0				
55/60				2	1	07581 51 0 0				
55/65		2	1	07581 52 0 0						
60/60		2	1	07581 60 0 0						
	• Insert for snap resistant core fixing			500	1	07580 20 0				
	• RS3 S Modulo assembly and service case				1	1	07550 12 0			

CISA S.p.A. reserves the right to make any changes to the products illustrated in this catalogue without prior notice. All measurements are in millimetres.

## About Allegion

Allegion (NYSE: ALLE) creates peace of mind by pioneering safety and security. As a \$2 billion provider of security solutions for homes and businesses, Allegion employs more than 7,800 people and sells products in more than 120 countries across the world. Allegion comprises 23 global brands, including strategic brands CISA®, Interflex®, LCN®, Schlage® and Von Duprin®.

For more, visit [allegion.com](http://allegion.com)

 BRICARD ■ Briton ■  CISA ■  interflex