



ALLEGION™



CISA Safe Home

Rim locks for wooden
and steel doors



Cylinder rim locks for wooden and steel doors

CYLINDER OPERATION

- You can choose the most suitable cylinder for your security requirements
- Master key systems: accesses can be managed in a flexible, hierarchical manner
- Smaller keys
- The cylinder is replaced easily
- **BENEFITS**
- You can select the level of security that best suits your needs
- Greater comfort of use: fewer keys are needed and of smaller size
- Only authorized people have access to certain areas
- Easy replacement (for ex. if keys are lost)



STEEL MULTIPLE DEADBOLTS AND LATCH

BENEFIT

- High resistance to forced entries

GRADO 6 SECURITY

BENEFIT

- High resistance to forced entries



Find out more at:

cisacasasicura.com

INCREASE YOUR SECURITY

CISA recommends using cylinders that provide high resistance to tearing, bumping and drilling in addition to key duplication protection (keys can only be duplicated by CISA or CISA authorized centres).

CYLINDER PROTECTIVE ROSE

A protective rose can be installed on the outside of the door, to achieve increased security

BENEFIT

- Increased security against cylinder snapping



LOCK INTERCHANGEABILITY

All new cylinder locks are interchangeable with the double bit key lock series

BENEFIT

- Easy, fast replacement



CYLINDER RIM LOCKS

for wooden and steel doors



Technical features:

- Steel case and striker, painted in metallized antique bronze
- Nickel-plated steel latch
- Nickel-plated steel multiple deadbolts

Supplied as standard:

- Striker
- Outside escutcheon item 1.06043.00.0
- Inside escutcheon item 1.06458.11.0
- Fixing screws
- Instruction sheet

On request:

- Protective rose item 1.06490.02.0
- Spacers item 1.06472.40.0

Hand:

- 1 = R.H.inwards
- 2 = L.H. inwards

Cylinder to be ordered separately



TYPE	DESCRIPTION	Locking points	Throws	Backset	UNIT WEIGHT		ITEM			
					kg	NO. PIECES	Type	Dim.	Hand	
	▪ Dead-bolt only, 4 bolts	1	2	64	2,340	1	1	56152	60	1
		1	2	64	2,330	1	1	56152	60	2
	▪ Dead-bolt only, 4 bolts ON REQUEST: ▪ Extended bolts item 1.06425.07.0 ▪ Pair of diverting devices item 1.06418.00.0	3	2	64	2,650	1	1	56162	60	1
		3	2	64	2,650	1	1	56162	60	2
	▪ Dead-bolt only, 4 bolts SUPPLIED AS STANDARD: ▪ Subsidiary driving mechanism ON REQUEST: ▪ Extended bolts item 1.06426.07.0 ▪ Pair of diverting devices item 1.06418.00.0	5	2	64	3,450	1	1	56172	60	1
		5	2	64	3,450	1	1	56172	60	2
	▪ Latch and dead-bolt, 3 bolts ▪ Draw-back pull	1	2	64	2,376	1	1	56157	60	1
		1	2	64	2,379	1	1	56157	60	2
	▪ Latch and dead-bolt, 3 bolts ▪ Draw-back pull ON REQUEST: ▪ Extended bolts item 1.06425.07.0 ▪ Pair of diverting devices item 1.06418.00.0	3	2	64	2,640	1	1	56167	60	1
		3	2	64	2,640	1	1	56167	60	2
	▪ Latch and dead-bolt, 3 bolts ▪ Draw-back pull SUPPLIED AS STANDARD: ▪ Subsidiary driving mechanism ON REQUEST: ▪ Extended bolts item 1.06426.07.0 ▪ Pair of diverting devices item 1.06418.00.0	5	2	64	3,300	1	1	56177	60	1
		5	2	64	3,300	1	1	56177	60	2

DOUBLE-BIT KEY RIM LOCKS

For wooden and steel doors - New configuration



Technical features:

- Steel case and striker, painted in metallized antique bronze
- Nickel-plated steel latch
- Nickel-plated steel multiple deadbolts
- Picking resistant protection device on the latch lever
- External key guide









Supplied as standard:

- Striker
- Outside escutcheon item 1.06140.00.0
- 3 keys:
- item 1.00125.00.1 for hand 1
- item 1.00125.00.2 for hand 2
- Fixing screws
- Instruction sheet


Hand:

- 1 = R.H. inwards
- 2 = L.H. inwards


TYPE	DESCRIPTION	Key Item	Locking points	Throws	Backset	UNIT WEIGHT		ITEM			
						kg	NO. PIECES	Type	Dim.	Hand	
	▪ Dead-bolt only, 4 bolts		1	4	64	2,340	1	1	57152	60	1
											1
	▪ Dead-bolt only, 4 bolts ON REQUEST: ▪ Extended bolts item 1.06425.07.0 ▪ Pair of diverting devices item 1.06418.00.0		3	4	64	2,650	1	1	57162	60	1
											3
	▪ Dead-bolt only, 4 bolts SUPPLIED AS STANDARD: ▪ Subsidiary driving mechanism ON REQUEST: ▪ Extended bolts item 1.06426.07.0 ▪ Pair of diverting devices item 1.06418.00.0		5	4	64	3,450	1	1	57172	60	1
											5
	▪ Latch and dead-bolt, 3 bolts ▪ Draw-back pull		1	4	64	2,376	1	1	57157	60	1
											1
	▪ Latch and dead-bolt, 3 bolts ▪ Draw-back pull ON REQUEST: ▪ Extended bolts item 1.06425.07.0 ▪ Pair of diverting devices item 1.06418.00.0		3	4	64	2,640	1	1	57167	60	1
											3
	▪ Latch and dead-bolt, 3 bolts ▪ Draw-back pull SUPPLIED AS STANDARD: ▪ Subsidiary driving mechanism ON REQUEST: ▪ Extended bolts item 1.06426.07.0 ▪ Pair of diverting devices item 1.06418.00.0		5	4	64	3,300	1	1	57177	60	1
											5

TYPE	DESCRIPTION	For series / Item	ITEM					
			UNIT WEIGHT	NO. PIECES	Type	Dim.	Hand	
	<ul style="list-style-type: none"> Outside brass escutcheon <p>AVAILABLE FINISHES:</p> <ul style="list-style-type: none"> See the General Catalogue 	56152, 56162, 56172, 56157, 56167, 56177	0,024	100	1	06043	00	0
	<ul style="list-style-type: none"> Inside aluminium escutcheon painted in metallized antique bronze 	56152, 56162, 56172, 56157, 56167, 56177	0,032	12	1	06458	11	0
	<ul style="list-style-type: none"> Bronze lacquered steel top striker 	56152, 56162, 56172, 56157, 56167, 56177, 57152, 57162, 57172, 57157, 57167, 57177	0,442	2	1	07055	00	0
	<ul style="list-style-type: none"> Carbonitrided steel protective rose, polished brass finish <p>SUPPLIED AS STANDARD:</p> <ul style="list-style-type: none"> Rose body Cap Cover plate ring screws M6 x 45 mm <p>AVAILABLE FINISHES:</p> <p>See the General Catalogue</p>	56152, 56162, 56172, 56157, 56167, 56177	0,365	6	1	06490	02	0
	<ul style="list-style-type: none"> Zinc-plated 2 mm spacer for protection roses 	06490-02	0,734	6	1	06472	40	0
	<ul style="list-style-type: none"> Set of bronze lacquered steel diverting devices 	56152, 56162, 56172, 56157, 56167, 56177, 57152, 57162, 57172, 57157, 57167, 57177	0,050	12	1	06418	00	0
	<ul style="list-style-type: none"> Cranked, adjustable extended bolt in bronze lacquered steel 	56152, 56162, 56172, 56157, 56167, 56177, 57152, 57162, 57172, 57157, 57167, 57177	0,770	1	1	06423	00	0
	<ul style="list-style-type: none"> Long, adjustable extended bolt, in bronze lacquered steel 	56152, 56162, 56172, 56157, 56167, 56177, 57152, 57162, 57172, 57157, 57167, 57177	0,766	6	1	06424	00	0

TYPE	DESCRIPTION	For series / Item	ITEM					
			UNIT WEIGHT	NO. PIECES	Type	Dim.	Hand	
	<ul style="list-style-type: none"> Set of extended bolts for locks with 3 locking points SUPPLIED AS STANDARD: Set of extended bolts Top striker item 1.06236.00.0 Floor striker item 1.06237.00.0 2 guide rods item 1.06422.00.0 	56162, 56167, 57162, 57167, 57192	1,500	1	1	06425	07	0
	<ul style="list-style-type: none"> Set of extended bolts for locks with 5 locking points SUPPLIED AS STANDARD: Pair of extended bolts, top and bottom 1 connecting rod 2 top strikers item 1.06236.00.0 2 floor strikers item 1.06237.00.0 4 guide rods item 1.06422.00.0 	56172, 56177, 57172, 57177	3,300	1	1	06426	07	0
	<ul style="list-style-type: none"> Top and bottom locking point for secondary leaf Inside coin-activated piece ON REQUEST: 2 extended bolts item 1.06425.07.0 		0,735	1	1	57192	00	0



56152, 56162, 56172, 56157, 56167, 56177



57152, 57162, 57172, 57157, 57167, 57177

About Allegion™

Allegion (NYSE: ALLE) is a global pioneer in safety and security, with leading brands like CISA®, Interflex®, LCN®, Schlage® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion produces a range of solutions for homes, businesses, schools and other institutions. Allegion is a \$2 billion company, with products sold in almost 130 countries.

For more, visit www.allegion.com



BRICARD



Briton



CISA



interflex

